

TAMILNADU MOTOR VEHICLES MAINTENANCE DEPARTMENT
GOVERNMENT APPROVED FIRMS AND RATES FOR RETREADING OF TYRES
FOR THE YEAR 2018-2019

DISTRICT : CHENNAI

EAGLE TYRES,
 No.52B, Bajanai Koil Street, Pattaraivakkam,
 Chennai-600 098 Behind SIDCO E.B.

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
1	4.50X12	700	750
2	5.20X14	750	900
3	5.60X12	750	850
4	5.60X13	750	850
5	5.90X15	950	1050
6	6.00X16	1647	1940
7	6.40X15	1514	1764
8	6.70X15	1670	1950
9	7.00X15	1800	2000
10	7.00X16	1800	2050
11	7.50X16	1800	2150
12	7.50X20	2300	2400
13	8.25X16	2300	2450
14	8.25X20	2600	2800
15	9.00X20	2750	2950
16	10.00X20	2950	3100
17	11.00X20	2904	3100
18	F78x15	1600	1700
19	165/80SR15RADIAL	NIL	1900
20	175/80R14C RADIAL	NIL	1900
21	185/85R16RADIAL	NIL	1900
22	195/70R15RADIAL	NIL	1900
23	195/80R15RADIAL	NIL	1900
24	215/R14CRADIAL	NIL	1900
25	215/75R15RADIAL	NIL	1950
26	235/75R15RADIAL	NIL	1950
27	155/80-R13RADIAL	NIL	1500
28	235/70-R16RADIAL	NIL	2000
29	145/70-13/12RADIAL	NIL	1400
	TRACTOR		
30	5.50X16(FRONT)	1400	NIL
31	6.00X16(FRONT)	1500	NIL

32	6.00X19(FRONT)	2000	NIL
33	6.50X20(FRONT)	2000	NIL
34	6.50X16(FRONT LIFT)	1700	NIL
35	7.50X16TRAILOR RIB	1800	NIL
36	11.2X28/10.28 REAR	7350	NIL
37	12.4X11X28REAR	7875	NIL
38	12.5X20REAR	8000	NIL
39	13.6X28/12.28REAR	9603	NIL
40	14.9X13X28REAR	11025	NIL
41	16.9X29/14.28REAR	12128	NIL

DISTRICT : KANCHEEPURAM SUNDARAM INDUSTRIES PRIVATE LTD, TYRE SOLUTION DIVISION ,A1-F3, New Sidco Industrial Estate, Opp: Telephone Exchange, Maraimalainagar-603 209.			
SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
1	4.50X12	934	1114
2	5.20X14	1080	1210
3	5.60X12	979	1224
4	5.60X13	1099	1269
5	5.90X15	1258	1403
6	6.00X16	1568	1847
7	6.40X15	1514	1764
8	6.70X15	1669	1959
9	7.00X15	1869	2122
10	7.00X16	1959	2178
11	7.50X16	2225	2225
12	7.50X20	2469	2693
13	8.25X16	2416	2670
14	8.25X20	2899	3115
15	9.00X20	2840	3051
16	10.00X20	3051	3420
17	11.00X20	2899	3357
18	F78x15	1737	1842
19	165/80SR15RADIAL	NIL	1980
20	175/80R14C RADIAL	NIL	2084
21	185/85R16RADIAL	NIL	2210
22	195/70R15RADIAL	NIL	2205
23	195/80R15RADIAL	NIL	2337
24	215/R14CRADIAL	NIL	2442
25	215/75R15RADIAL	NIL	2498
26	235/75R15RADIAL	NIL	2672

27	155/80-R13RADIAL	NIL	1930
28	235/70-R16RADIAL	NIL	2664
29	145/70-13/12RADIAL	NIL	1735
	TRACTOR		
30	6.00X16(FRONT)	1809	2117
31	6.50X20(FRONT)	2562	2652
32	7.50X16TRAILOR RIB	2562	2750
33	12.4X11X28REAR	7875	NIL
34	13.6X28/12.28REAR	9089	NIL
35	14.9X13X28REAR	10518	NIL
36	16.9X29/14.28REAR	11549	NIL

DISTRICT : VELLORE

EAGLE TYRES

DP No.46 Sidco Industrial Estate,
Ammanur Village, Arokkanam-631 005

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
1	4.50X12	NIL	1100
2	5.20X14	NIL	1200
3	5.60X12	NIL	1100
4	5.60X13	NIL	1200
5	5.90X15	NIL	1403
6	6.00X16	NIL	1940
7	6.40X15	NIL	1764
8	6.70X15	NIL	1950
9	7.00X15	NIL	2122
10	7.00X16	NIL	2178
11	7.50X16	NIL	2337
12	7.50X20	NIL	2600
13	8.25X16	NIL	2600
14	8.25X20	NIL	2950
15	9.00X20	NIL	3205
16	10.00X20	NIL	3592
17	11.00X20	NIL	3357
18	F78x15	NIL	1842
19	165/80SR15RADIAL	NIL	1980
20	175/80R14C RADIAL	NIL	2084
21	185/85R16RADIAL	NIL	2210
22	195/70R15RADIAL	NIL	2205
23	195/80R15RADIAL	NIL	2337
24	215/R14CRADIAL	NIL	2400
25	215/75R15RADIAL	NIL	2400

26	235/75R15RADIAL	NIL	2400
27	155/80-R13RADIAL	NIL	1950
28	235/70-R16RADIAL	NIL	2500
29	145/70-13/12RADIAL	NIL	1500
	TRACTOR		
30	5.50X16(FRONT)	NIL	1900
31	6.00X16(FRONT)	NIL	2100
32	6.00X19(FRONT)	NIL	2498
33	6.50X20(FRONT)	NIL	2500
34	6.50X16(FRONT LIFT)	NIL	2687
35	7.50X16TRAILOR RIB	NIL	2350
36	11.2X28/10.28 REAR	7350	NIL
37	12.4X11X28REAR	7875	NIL
38	12.5X20REAR	8000	NIL
39	13.6X28/12.28REAR	9603	NIL
40	14.9X13X28REAR	11025	NIL
41	16.9X29/14.28REAR	12128	NIL

DISTRICT : SALEM

EXCEL TYRES
100/209B.Gugai Road,
Erumapalayam Road, ATC Road,
Near ARK Theatre, Salem-636015.

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
1	4.50X12	850	1000
2	5.20X14	900	1200
3	5.60X13	1050	NIL
4	6.00X16	1200	1320
5	6.40X15	1300	1400
6	6.70X15	1350	1450
7	7.00X15	1430	1450
8	7.00X16	1450	NIL
9	7.50X16	1500	1620
10	7.50X20	2000	2215
11	8.25X16	1645	1700
12	8.25X20	2050	2300
13	9.00X20	2495	2585
14	10.00X20	2890	3100
15	F78x15	1500	1395
16	165/80SR15RADIAL	NIL	1700

17	175/80R14C RADIAL	NIL	1675
18	185/85R16RADIAL	NIL	1750
19	195/70R15RADIAL	NIL	2000
20	195/80R15RADIAL	NIL	1875
21	215/R14CRADIAL	NIL	2350
22	215/75R15RADIAL	NIL	2300
23	235/75R15RADIAL	NIL	2100
24	235/70-R16RADIAL	NIL	2400
	TRACTOR		
25	5.50X16(FRONT)	NIL	1800
26	6.00X16(FRONT)	1780	NIL
27	6.00X19(FRONT)	NIL	2498
28	6.50X20(FRONT)	1750	NIL
29	6.50X16(FRONT LIFT)	NIL	2687
30	7.50X16TRAILOR RIB	2070	2675
31	12.4X11X28REAR	6020	NIL
32	13.6X28/12.28REAR	6340	NIL
33	14.9X13X28REAR	7510	NIL
34	16.9X29/14.28REAR	8500	NIL

SUNDARAM INDUSTRIES PRIVATE LTD
Tyre Solution Division, No.21, Kitchipalayam Main Road,
Salem-636 001

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
1	5.60X12	979	1224
2	5.60X13	NIL	1269
3	5.90X15	1258	1403
4	7.00X16	NIL	2178
5	11.00X20	2899	3357
6	155/80-R13RADIAL	NIL	1930
7	145/70-13/12RADIAL	NIL	1735
	TRACTOR		
8	6.00X16(FRONT)	NIL	2117
9	6.50X20(FRONT)	NIL	2652

DISTRICT : ERODE

T.K.M. TYRE INDUSTRIES,
T.K.M. Building, No.10

Perundurai Road, Near Solai Hospital, Erode – 638011.

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
1	4.50X12	935	1114

2	5.20X14	1080	1210
3	5.60X12	979	1224
4	5.60X13	1100	1269
5	5.90X15	1258	1403
6	6.40X15	1514	1764
7	6.70X15	1670	1959
8	7.00X15	NIL	2122
9	7.00X16	1959	2178
10	7.50X20	2471	2693
11	8.25X16	2538	2805
12	8.25X20	2915	3115
13	10.00X20	3205	3592
14	11.00X20	2904	3357
15	F78x15	1737	1842
16	165/80SR15RADIAL	NIL	1980
17	175/80R14C RADIAL	NIL	2084
18	185/85R16RADIAL	NIL	2210
19	195/70R15RADIAL	NIL	2205
20	195/80R15RADIAL	NIL	2337
21	215/R14CRADIAL	NIL	2442
22	235/75R15RADIAL	NIL	2672
23	155/80-R13RADIAL	NIL	2028
24	235/70-R16RADIAL	NIL	2664
25	145/70-13/12RADIAL	NIL	1735
	TRACTOR		
26	5.50X16(FRONT)	1785	1965
27	6.00X19(FRONT)	NIL	2498
28	6.50X20(FRONT)	2562	2786
29	6.50X16(FRONT LIFT)	NIL	2687
30	7.50X16TRAILOR RIB	2562	2889
31	11.2X28/10.28 REAR	7350	NIL
32	12.5X20REAR	8400	NIL
33	13.6X28/12.28REAR	9603	NIL
34	14.9X13X28REAR	11025	NIL

STAR TYRE RETRADING CO.,
No.5.N.GG.O.Colony Main Road,Gandhi Nagar,
Erode-638009

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
1	4.50X12	935	1114
2	5.20X14	1080	1210
3	5.60X12	979	1224

4	5.60X13	1100	1269
5	5.90X15	1258	1403
6	6.00X16	1647	1940
7	6.40X15	1514	1764
8	6.70X15	1670	1959
10	7.00X16	1959	2178
11	7.50X16	2337	2337
12	7.50X20	2471	2693
13	8.25X16	2538	2805
14	8.25X20	2915	3115
15	9.00X20	2983	3205
16	11.00X20	2904	3357
17	F78x15	1737	1842
18	165/80SR15RADIAL	NIL	1980
19	175/80R14C RADIAL	NIL	2084
20	195/70R15RADIAL	NIL	2205
21	195/80R15RADIAL	NIL	2337
22	215/R14CRADIAL	NIL	2442
23	215/75R15RADIAL	NIL	2498
24	235/75R15RADIAL	NIL	2672
25	155/80-R13RADIAL	NIL	2028
26	235/70-R16RADIAL	NIL	2664
27	145/70-13/12RADIAL	NIL	1735
	TRACTOR		
28	5.50X16(FRONT)	1785	1965
29	6.00X16(FRONT)	1902	2224
30	6.00X19(FRONT)	NIL	2498
31	6.50X20(FRONT)	2562	2786
32	6.50X16(FRONT LIFT)	NIL	2687
33	7.50X16TRAILOR RIB	2562	2889
34	11.2X28/10.28 REAR	7350	NIL
35	12.4X11X28REAR	7875	NIL
36	12.5X20REAR	8400	NIL
37	16.9X29/14.28REAR	12128	NIL

DISTRICT : COIMBATORE

SUNDARAM INDUSTRIES PVT.LTD

Tyre Solutions Division,

SF No.6/4, D.V.P.Industrial Estate,

Athipalayam Road, Chinna Vedampatti Post, Coimbatore-641 006.

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
	TRACTOR		
1	6.00X16(FRONT)	NIL	2117
2	6.50X20(FRONT)	NIL	2652
3	7.50X16TRAILOR RIB	NIL	2750
4	16.9X29/14.28REAR	11549	NIL

Fine Tyre Works,
69, Market Road,
Pollachi-642 001

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE	PRECURED METHOD RATE
1	4.50X12	600	750
2	5.20X14	650	750
3	5.60X12	650	750
4	5.60X13	650	750
5	5.90X15	1150	1200
6	6.00X16	1420	1490
7	6.40X15	1420	1500
8	6.70X15	1420	1500
9	7.00X15	1440	1600
10	7.00X16	1540	1600
11	7.50X16	1740	1800
12	7.50X20	1850	1950
13	8.25X16	1850	2100
14	8.25X20	1760	2140
15	9.00X20	2100	2250
16	10.00X20	2400	2490
17	11.00X20	2500	2500
18	F78x15	1500	1500
19	165/80SR15RADIAL	NIL	1600
20	175/80R14C RADIAL	NIL	1600
21	185/85R16RADIAL	NIL	1600
22	195/70R15RADIAL	NIL	1740
23	195/80R15RADIAL	NIL	1710

24	215/R14CRADIAL	NIL	1800
25	215/75R15RADIAL	NIL	1650
26	235/75R15RADIAL	NIL	1800
27	155/80-R13RADIAL	NIL	1530
28	235/70-R16RADIAL	NIL	1800
29	145/70-13/12RADIAL	NIL	1260
	TRACTOR		
30	5.50X16(FRONT)	1600	NIL
31	6.00X16(FRONT)	1600	NIL
32	6.00X19(FRONT)	1800	NIL
33	6.50X20(FRONT)	1800	NIL
34	6.50X16(FRONT LIFT)	1900	NIL
35	7.50X16TRAILOR RIB	1740	NIL
36	12.4X11X28REAR	7500	NIL
37	12.5X20REAR	8000	NIL
38	13.6X28/12.28REAR	8000	NIL
39	14.9X13X28REAR	9000	NIL

DISTRICT : OOTY

TYREX

11/186E Chembala, Gudalur, Niligiris-643212.

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
1	4.50X12	935	1114
2	5.20X14	1080	1210
3	5.60X12	979	1224
4	5.60X13	1100	1269
5	5.90X15	1258	1403
6	6.00X16	1647	1940
7	6.40X15	1514	1764
8	6.70X15	1670	1959
9	7.00X15	1870	2122
10	7.00X16	1959	2178
11	7.50X16	2337	2337
12	7.50X20	2471	2693
13	8.25X16	2538	2805
14	8.25X20	2915	3115
15	9.00X20	2983	3205
16	10.00X20	3205	3592
17	11.00X20	2904	3357
18	F78x15	NIL	1842

19	165/80SR15RADIAL	NIL	1980
20	175/80R14C RADIAL	NIL	2084
21	185/85R16RADIAL	NIL	2210
22	195/70R15RADIAL	NIL	2205
23	195/80R15RADIAL	NIL	2337
24	215/R14CRADIAL	NIL	2442
25	215/75R15RADIAL	NIL	2498
26	235/75R15RADIAL	NIL	2672
27	155/80-R13RADIAL	NIL	2028
28	235/70-R16RADIAL	NIL	2664
29	145/70-13/12RADIAL	NIL	1735
	TRACTOR		
30	5.50X16(FRONT)	1785	1965
31	6.00X16(FRONT)	1902	2224
32	6.00X19(FRONT)	2224	2498
33	6.50X20(FRONT)	2562	2786
34	6.50X16(FRONT LIFT)	2349	2687
35	7.50X16TRAILOR RIB	2562	2889
36	11.2X28/10.28 REAR	7350	NIL
37	12.4X11X28REAR	7875	NIL
38	12.5X20REAR	8400	NIL
39	13.6X28/12.28REAR	9603	NIL
40	14.9X13X28REAR	11025	NIL
41	16.9X29/14.28REAR	12128	NIL

DISTRICT : MADURAI

Sundaram Industries Pvt.Ltd,
No.8 Theni Road, Kochadai,
Madurai-625 016.

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
1	4.50X12	934	1114
2	5.20X14	1080	1210
3	5.60X12	979	1224
4	5.60X13	1099	1269
5	5.90X15	1258	1403
6	6.00X16	1568	NIL
7	6.40X15	1514	1764
8	6.70X15	1669	NIL
9	7.00X15	1869	NIL
10	7.00X16	1959	NIL
11	7.50X16	2225	NIL

12	7.50X20	2469	NIL
13	8.25X16	2416	NIL
14	8.25X20	2899	NIL
15	9.00X20	2840	NIL
16	10.00X20	3051	NIL
17	11.00X20	2899	3357
18	F78x15	1737	1842
19	165/80SR15RADIAL	NIL	1980
20	175/80R14C RADIAL	NIL	2084
21	195/80R15RADIAL	NIL	2337
22	215/R14CRADIAL	NIL	2442
23	155/80-R13RADIAL	NIL	1930
24	145/70-13/12RADIAL	NIL	1735
	TRACTOR		
25	6.00X16(FRONT)	1809	NIL
26	6.50X20(FRONT)	2562	NIL
27	7.50X16TRAILOR RIB	2562	NIL
28	16.9X29/14.28REAR	11549	NIL

Sri Metro Tyres,
6&7, Lakshmi Narayanapuram,
East Lane, Simmakal,
Madurai-625001

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
1	6.00X16	NIL	1780
2	6.70X15	NIL	1950
3	7.00X15	NIL	1950
4	7.00X16	NIL	2050
5	7.50X16	NIL	2090
6	7.50X20	NIL	2450
7	8.25X16	NIL	2490
8	8.25X20	NIL	2750
9	9.00X20	NIL	2950
10	10.00X20	NIL	3150
11	185/85R16RADIAL	NIL	1950
12	195/70R15RADIAL	NIL	1950
13	215/75R15RADIAL	NIL	2150
14	235/75R15RADIAL	NIL	2350
15	235/70-R16RADIAL	NIL	2350
	TRACTOR		
16	6.00X16(FRONT)	NIL	1790
17	6.00X19(FRONT)	NIL	1990
18	6.50X20(FRONT)	NIL	2550
19	6.50X16(FRONT LIFT)	NIL	2650

20	7.50X16TRAILOR RIB	NIL	2290
21	12.4X11X28REAR	7500	NIL
22	13.6X28/12.28REAR	7800	NIL
23	14.9X13X28REAR	8000	NIL

DISTRICT : TUTICORIN

MURUGAN TYRES,
3/116-1 S.K.S.Buildings, Thiruchendur Road,
Muthiahpuram, Thoothukudi-628 005.

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
1	4.50X12	935	1114
2	5.20X14	1080	1210
3	5.60X12	979	1224
4	5.60X13	1100	1269
5	5.90X15	1258	1403
6	6.00X16	1647	1940
7	6.40X15	1514	1764
8	6.70X15	1670	1959
9	7.00X15	1870	2122
10	7.00X16	1959	2178
11	7.50X16	2337	2337
12	7.50X20	2471	2693
13	8.25X16	2538	2805
14	8.25X20	2915	3115
15	9.00X20	2983	3205
16	10.00X20	3205	3592
17	11.00X20	2904	3357
18	F78x15	NIL	1842
19	165/80SR15RADIAL	NIL	1980
20	175/80R14C RADIAL	NIL	2084
21	185/85R16RADIAL	NIL	2210
22	195/70R15RADIAL	NIL	2205
23	195/80R15RADIAL	NIL	2337
24	215/R14CRADIAL	NIL	2442
25	215/75R15RADIAL	NIL	2498
26	235/75R15RADIAL	NIL	2672
27	155/80-R13RADIAL	NIL	2028
28	235/70-R16RADIAL	NIL	2664

29	145/70-13/12RADIAL	NIL	1735
	TRACTOR		
30	5.50X16(FRONT)	1785	1965
31	6.00X16(FRONT)	1902	2224
32	6.00X19(FRONT)	2224	2498
33	6.50X20(FRONT)	2562	2786
34	6.50X16(FRONT LIFT)	2349	2687
35	7.50X16TRAILOR RIB	2562	2889
36	12.4X11X28REAR	7875	NIL
37	12.5X20REAR	8400	NIL
38	13.6X28/12.28REAR	9603	NIL
39	14.9X13X28REAR	11025	NIL
40	16.9X29/14.28REAR	12128	NIL

DISTRICT : TIRUNELVELI

SUNDARAM INDUSTRIES PRIVATE LTD

Tyre Solutions Division,
176G, Trivandrum Road,
Tirunelveli-627 006.

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
	F78x15	1737	NIL
	TRACTOR		
2	6.50X20(FRONT)	NIL	2652
3	14.9X13X28REAR	10518	NIL
4	16.9X29/14.28REAR	11549	NIL

JUPITER TYRE SERVICE
No.36-38, Amir Square.,
Kailasapuram, Tirunelveli-627 001

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
1	4.50X12	630	720
2	5.20X14	630	720
3	5.60X12	630	720
4	5.60X13	630	720
5	5.90X15	1080	1170
6	6.00X16	1350	1450

7	6.40X15	1450	1530
8	6.70X15	1450	1530
9	7.00X15	1540	1630
10	7.00X16	1540	1630
11	7.50X16	1720	1800
12	7.50X20	1800	1900
13	8.25X16	1720	2070
14	8.25X20	1800	2250
15	9.00X20	2160	2250
16	10.00X20	2340	2430
17	11.00X20	2520	2610
18	F78x15	NIL	1710
19	165/80SR15RADIAL	NIL	1710
20	175/80R14C RADIAL	NIL	1710
21	185/85R16RADIAL	NIL	1710
22	195/70R15RADIAL	NIL	1710
23	195/80R15RADIAL	NIL	1710
24	215/R14CRADIAL	NIL	1710
25	215/75R15RADIAL	NIL	1630
26	235/75R15RADIAL	NIL	1800
27	155/80-R13RADIAL	NIL	1540
28	235/70-R16RADIAL	NIL	1800
29	145/70-13/12RADIAL	NIL	1260
	TRACTOR		
30	6.00X16(FRONT)	1620	1710
31	6.00X19(FRONT)	1710	NIL
32	6.50X20(FRONT)	1800	NIL
33	6.50X16(FRONT LIFT)	1800	NIL
34	7.50X16TRAILOR RIB	1720	1810
35	12.4X11X28REAR	7200	NIL
36	12.5X20REAR	8400	NIL
37	13.6X28/12.28REAR	8100	NIL

DISTRICT : TRICHY

TRICHY TYRE WORKS

103-A/2, 1st Floor,
Muslim Mettu Street,
Varaganery, Trichy-8.

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
1	9.00X20	NIL	3205
2	10.00X20	NIL	3592

DISTRICT : PUDUKOTTAI

Sundaram Industries Pvt. Ltd,
Tyre Solutions Divisions , Thirumayam Road,
Pudukottai-622 001.

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
1	7.50X20	2469	NIL
2	8.25X20	2899	NIL
	TRACTOR		
3	6.50X20(FRONT)	2562	2652

Sundaram Tyres,
TSN 5754/1, Santhanathapuram,
3rd Street, Pudukottai-622 001.

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE	PRECURED METHOD RATE
1	6.00X16	1400	NIL
2	7.50X20	NIL	2250
3	8.25X20	NIL	2970
4	165/80SR15RADIAL	NIL	1500
5	175/80R14C RADIAL	NIL	1600
6	145/70-13/12RADIAL	NIL	1200

Anitha Tyre Retread,
Old No.8/20, New No.8/17, Annai Nagar, Madurai Road, Tirumayam,
Pudukottai- 622 507

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
1	4.50X12	799	889
2	5.20X14	989	999
3	5.60X12	899	999
4	5.60X13	949	999
5	5.90X15	1099	1199
6	6.00X16	NIL	1599
7	6.40X15	1499	1599
8	6.70X15	1499	1599
9	7.00X15	1499	1599
10	7.00X16	1549	1699
11	7.50X16	1699	1799
12	8.25X16	1899	2099
13	9.00X20	2599	2699
14	10.00X20	2699	2799
15	11.00X20	2799	2899

16	F78x15	1499	1599
17	185/85R16RADIAL	NIL	1799
18	195/70R15RADIAL	NIL	1899
19	195/80R15RADIAL	NIL	1899
20	215/R14CRADIAL	NIL	1999
21	215/75R15RADIAL	NIL	1999
22	235/75R15RADIAL	NIL	2099
23	155/80-R13RADIAL	NIL	1499
24	235/70-R16RADIAL	NIL	2199
	TRACTOR		
25	5.50X16(FRONT)	1299	1499
26	6.00X16(FRONT)	1499	1599
27	7.50X16TRAILOR RIB	1699	1799
28	11.2X28/10.28 REAR	7099	NIL
29	12.4X11X28REAR	7499	NIL
30	12.5X20REAR	6999	NIL
31	13.6X28/12.28REAR	8499	NIL
32	14.9X13X28REAR	9899	NIL
33	16.9X29/14.28REAR	10899	NIL

DISTRICT : DINDIGUL

LOYAL AUTO NEEDS

No.26-B/4 Thadikombu Road, KPS Veiliah Nada Compound,
opp to PVK mahal,Dindigul.624001

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
1	4.50X12	890	890
2	5.20X14	1050	1075
3	5.60X12	950	950
4	5.60X13	1050	1075
5	5.90X15	1200	1250
6	6.00X16	1600	1450
7	6.40X15	1450	1575
8	6.70X15	1600	NIL
9	7.00X15	1800	1675
10	7.00X16	1900	1805
11	7.50X16	2100	1900
12	7.50X20	2450	NIL
13	8.25X16	2150	2100
14	8.25X20	2800	NIL
15	9.00X20	2900	NIL
16	10.00X20	3205	NIL
17	11.00X20	2904	3040

18	F78x15	1737	1650
19	175/80R14C RADIAL	NIL	1690
20	155/80-R13RADIAL	NIL	1190
21	145/70-13/12RADIAL	NIL	1190
	TRACTOR		
22	6.00X16(FRONT)	1902	NIL
23	6.00X19(FRONT)	2224	2040
24	6.50X20(FRONT)	2562	2140
25	6.50X16(FRONT LIFT)	NIL	2040
26	7.50X16TRAILOR RIB	2562	2090
27	11.2X28/10.28 REAR	7350	NIL
28	12.4X11X28REAR	7875	NIL
29	12.5X20REAR	7000	6820
30	13.6X28/12.28REAR	9603	NIL
31	14.9X13X28REAR	11025	NIL
32	16.9X29/14.28REAR	12128	NIL

SRI IYAPPA RETREAD CO
No.26/4B, Muruga Bavanam, Palani Road, Dindigul-1.

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
8	6.70X15	NIL	1745
12	7.50X20	NIL	2195
14	8.25X20	NIL	2545
15	9.00X20	NIL	2895
16	10.00X20	NIL	3145
19	165/80SR15RADIAL	NIL	1775
21	185/85R16RADIAL	NIL	1875
22	195/70R15RADIAL	NIL	1875
23	195/80R15RADIAL	NIL	1875
24	215/R14CRADIAL	NIL	1875
25	215/75R15RADIAL	NIL	1875
26	235/75R15RADIAL	NIL	1875
28	235/70-R16RADIAL	NIL	1875
	TRACTOR		
30	5.50X16(FRONT)	NIL	1775
31	6.00X16(FRONT)	NIL	1775

DISTRICT : KARUR

LOYAL AUTO WORLD,
SF No.179/9, 10A, Near Athur Soliamman Koil arch,
Erode Road, Athur Post, Karur -639 008

SL.No.	TYRE SIZE	CONVENTIONAL METHOD RATE IN Rs.	PRECURED METHOD RATE IN Rs.
1	4.50X12	935	1114
2	5.20X14	1080	1210
3	5.60X12	979	1224
4	5.60X13	1100	1269
5	5.90X15	1258	1403
6	6.00X16	1647	1940
7	6.40X15	1514	1764
8	6.70X15	1670	1959
9	7.00X15	1870	2122
10	7.00X16	1959	2178
11	7.50X16	2337	2337
12	7.50X20	2471	2693
13	8.25X16	2538	2805
14	8.25X20	2915	3115
15	9.00X20	2983	3205
16	10.00X20	3205	3592
17	11.00X20	2904	3357
18	F78x15	1737	1842
19	165/80SR15RADIAL	NIL	1980
20	175/80R14C RADIAL	NIL	2084
21	185/85R16RADIAL	NIL	2210
22	195/70R15RADIAL	NIL	2205
23	195/80R15RADIAL	NIL	2337
24	215/R14CRADIAL	NIL	2442
25	215/75R15RADIAL	NIL	2498
26	235/75R15RADIAL	NIL	2672
27	155/80-R13RADIAL	NIL	2028
28	235/70-R16RADIAL	NIL	2664
29	145/70-13/12RADIAL	NIL	1735
	TRACTOR		
30	5.50X16(FRONT)	1785	1965
31	6.00X16(FRONT)	1902	2224
32	6.00X19(FRONT)	NIL	2498
33	6.50X20(FRONT)	2562	2786
34	6.50X16(FRONT LIFT)	NIL	2687
35	7.50X16TRAILOR RIB	2562	2889

36	11.2X28/10.28 REAR	7350	NIL
37	12.4X11X28REAR	7875	NIL
38	12.5X20REAR	8400	NIL
39	13.6X28/12.28REAR	9603	NIL
40	14.9X13X28REAR	11025	NIL
41	16.9X29/14.28REAR	12128	NIL