The Government warned Cracker manufacturing units which are not following Safety measures. The Chief Secretary to Government convened a high level meeting with the Secretaries of Home, Micro, Small and Medium Enterprises, Public and Labour and Employment Departments, the Director General of Fire and Rescue Services, the Additional Director General of Police (Law & Order) the Commissioner of Police, Chennai, the Chief Inspector of Factories, Chennai, the Joint Chief Controller of Explosives and other related officials and reviewed the Safety measures adopted in the cracker manufacturing units.

2. Taking note of the fire accidents in the fire works manufacturing units, Chief Secretary ordered that joint inspections should be conducted by a team of officers from the Revenue Department, Police Department, Fire and Rescue Services Department and Factories Department very frequently and prompt deterrent action should be taken against the violators.

ISSUED BY DIPR CHENNAI - 600 009

செ**ய்தி வெளியீடு**

நடைமுறைப்படுத்தாத **தயாரிக்கும்** பா<u>து</u>காப்பு முறைகளை பட்டாசு தொழிற்கூடங்களை அரசு வன்மையாக எச்சரிக்கை செய்கின்றது. இது தொடர்பாக, தலைமைச் செயலாளர் அவர்களின் தலைமையில் உயர்மட்ட கூட்டம் ஒன்று உள்துறை செயலாளா், சிறு தொழில் துறை செயலாளா், பொதுத்துறை செயலாளா், தொழிலாளா் மற்றும் வேலை வாய்ப்புத் துறை செயலாளர் மற்றும் இயக்குநர், தீயணைப்பு மற்றும் மீட்புத் துறை, கூடுதல் காவல் துறை இயக்குநா்(சட்டம் மற்றும் ஒழுங்கு), சென்னை மாநகர காவல்துறை ஆணையா், தொழிற்சாலைகள் தலைமை ஆய்வாளா் மற்றும் வெடி மருந்துத்துறை இணைக் கட்டுப்பாட்டு அலுவலர் மற்றும் தொடர்புடைய பிற அலுவலர்களுடன் நடந்தது. இக்கூட்டத்தில் பட்டாசு தயாரிக்கும் தொழிற்கூடங்களில் பாதுகாப்பு முறைகள் கையாளுதல் குறித்து ஆய்வு செய்யப்பட்டது.

2. சமீப காலமாக, பட்டாசு தயாரிக்கும் தொழிற்கூடங்களில் ஏற்படும் தீ விபத்துகள் தொடர்பாக தலைமைச் செயலாளர் அவர்கள் வருவாய்த்துறை, காவல் துறை, தீயணைப்பு மற்றும் மீட்புத் துறை மற்றும் தொழிற்சாலைகள் துறை ஆகிய துறைகளைச் சார்ந்த அலுவலர்களைக் கொண்ட குழு, கூட்டு ஆய்வுகள் மூலம், விதிகளை மீறுபவர்கள் மீது தொடர் மற்றும் உரிய தடுப்பு நடவடிக்கைகளை எடுக்க வேண்டும் என்று ஆணையிட்டுள்ளார்.

ISSUED BY DIPR CHENNAI - 600 009